


PSU Filter for Rail Applications

VSP-725



Given the demanding nature of the electromagnetic environment of rail applications, electromagnetic interferences (EMI) are likely to occur, making electromagnetic compatibility (EMC) a critical target.

Electromagnetic compatibility covers a wide range of aspects, including inductive noise within communication lines, impulse noise from lightning and traction transients, generation of hazardous voltages, and the appearance of stray currents. The interaction between power-electric controlled rail traction drives, power systems and track signalling systems is an important consideration.

The EN 50121 Standard provides guidance for managing EMC for rail applications and specifies the limits for the Electromagnetic emissions of Railways and defines the immunity for equipment operated within these environments. In this context, the VSP-725 PSU filter provides enhanced immunity to the VESDA VLF-250 and VLF-500 detectors for Rail applications.

Features

- Out-of-the-box installation and commissioning.
- Suitable for VESDA VLF-250 and VLF-500 detectors in Rail Applications.
- Improved resistance to electromagnetic disturbances.
- Easy installation on VLF-250 and VLF-500 terminal blocks.

Listings/Approvals


- EN 50155
- EN 50121-3-2
- EN 50125-1
- EN 61000-4-4

For more detailed information, please refer to VLF-250 and VLF-500 datasheets for Rail applications.

PSU Filter for Rail Applications

VSP-725

Terminal Block Connections



Specifications

Input Power:

Voltage: 24V DC Nominal (18-30 V DC)
Note: a DC/DC power converter shall be used to power-up the unit from the railcar power output.

Cable Termination:

Screw Terminals 0.2-2.5 mm² (30-12 AWG)

Warranty Period:

2 years

1	Earth / Chassis	From PSU
2	0 VDC	
3	24 VDC (In)	
4	0 VDC	To the next detector
5	24 VDC (Out)	

Ordering Information

VESDA VLF PSU Filter	VSP-725
----------------------	---------

Approvals Compliance

Please refer to the Product Guide for details regarding compliant design, installation and commissioning.

www.xtralis.com

UK and Europe +44 1442 242 330 **D-A-CH** +49 431 23284 1 **The Americas** +1 781 740 2223

Middle East +962 6 588 5622 **Asia** +86 21 5240 0077 **Australia and New Zealand** +61 3 9936 7000

The contents of this document are provided on an "as is" basis. No representation or warranty (either express or implied) is made as to the completeness, accuracy or reliability of the contents of this document. The manufacturer reserves the right to change designs or specifications without obligation and without further notice. Except as otherwise provided, all warranties, express or implied, including without limitation any implied warranties of merchantability and fitness for a particular purpose are expressly excluded.

Xtralis, the Xtralis logo, The Sooner You Know, VESDA-E, VESDA, ICAM, ECO, OSID, HeiTel, ADPRO, IntrusionTrace, LoiterTrace, ClientTrace, SmokeTrace, XOa, XOh, iTrace, iCommand, iRespond, iCommission, iPIR, and FMST are trademarks and/or registered trademarks of Xtralis and/or its subsidiaries in the United States and/or other countries. Other brand names mentioned herein are for identification purposes only and may be trademarks of their respective holder(s). Your use of this document does not constitute or create a licence or any other right to use the name and/or trademark and/or label.

This document is subject to copyright owned by Xtralis. You agree not to copy, communicate to the public, adapt, distribute, transfer, sell, modify or publish any contents of this document without the express prior written consent of Xtralis.

VESDA[®]
by  **xtralis**[®]