

# CUSTOMER SUCCESS STORY

## OSID-DE PROTECTS VEHICLES IN THE BBC COMPANY CAR PARK

### About End User

The BBC is a British public service broadcasting corporation that was founded in 1922. Its main responsibility is to provide impartial public service broadcasting in the United Kingdom, the Channel Islands, and the Isle of Man. It is the largest broadcaster in the world by number of employees, with about 23,000 staff. The BBC is headquartered at Broadcasting House in London and has major production centers in Belfast, Birmingham, Bristol, Cardiff, Glasgow, London and Salford and smaller production centers throughout the UK.

### The Challenge

As a means to protect vehicles in the company car park, BBC had infrared beam detectors installed. Over time, it became apparent that such detectors would not offer a viable solution due to the buildings structural movements and flexing on windy days which caused numerous false alarms. Each event would result in an engineer visit at significant cost.

### The Solution

“Fire Protection Group took an interest in our problem and introduced us to OSID-DE, a new Open-area Detection technology from Xtralis. They took the time to explain OSID-DE and how they believed it could provide a far more reliable solution due to its use of dual-frequency Infrared and Ultraviolet technology.

OSID-DE has been installed and operational since March 2012 and we are delighted that all alarm problems have ceased despite the relatively challenging environment.” says Ross Hutton, Project Manager – BBC Scotland.



---

#### **PROJECT:**

British Broadcasting Corporation (BBC)

---

#### **END USER/LOCATION:**

London, United Kingdom

---

#### **INDUSTRY:**

Public Broadcasting/Telecommunications

---

#### **INSTALLATION PARTNER:**

FPG Fire Protection

---

#### **SOLUTION:**

OSID-DE Imager (OSI-10, OSE-SP)

---

“...a far more reliable solution due to its use of dual-frequency Infrared and Ultraviolet technology”

Ross Hutton  
BBC Project Manager

Sixteen OSID-DE Imagers and Emitters have been installed as a direct replacement for the beam detectors in the car park. The installation is in a traditional “end to end” arrangement to suit current power supply and loop wiring, rather than in a multi emitter array, as might have been the first choice of design had it been a completely new installation. The maximum distance between the furthest Imager and Emitter is 100 m (328 ft), well within OSID-DE’s maximum range of 150 m (492 ft).

## The Outcome

A significant benefit of OSID-DE is its ability to provide volumetric coverage. As many as seven emitters can be placed within the field of view of a single imager, each placed at different heights. The imager’s large viewing angles, both horizontal and vertical, enable three-dimensional area coverage for design flexibility and additional deployment savings. OSID-DE overcomes the weaknesses of traditional detection solutions used in large, open spaces where standard sensitivity detection is required. In its simplest configuration, OSID-DE resembles a beam detector but is an entirely new technology. Unlike infrared beam detectors, OSID-DE works reliably in any environment – regardless of structural movement variances.

## Why FPG



FPG delivers integrated solutions to protect people, assets, physical property or intellectual property around the world.

*“OSID-DE is a real winner for us. After introducing the product to the BBC they were so impressed that they asked us to not only look at replacing the car park beam detectors, but also at a few other problematic areas. What started out as a routine visit to survey an unrelated system, grew into an additional opportunity to provide our customer with a better detection solutions and unexpected new business for us. Installation and setup were incredibly simple and easy and within a few minutes of aligning the units and switching the power on, they had commissioned themselves”*

*David McNeil  
FPG Scotland*



## About OSID-DE

- Simple installation and commissioning - up to 70% time saving compared to traditional beams
- Low maintenance, saving both time and expense
- High tolerance to vibrations, building movement and high airflow
- Dramatically reduces false alarms
- High resistance intruding objects such as dust, fogging, steam, reflections, sunlight, birds, insects and forklifts
- The Imager requires only 20 cm (8 in) free space for installation

