

### Product Description

Aspirating Smoke Detection (ASD) provides the assurance of active sampling and flow monitoring of a protected environment. A tamper-proof and flush-mount sampling point provides an inconspicuous sampling solution for a myriad of applications that require discrete sampling.

The Xtralis Tamper Proof Sampling Points (TPSP) provide an elegant addition to modern decor and can both minimize the risk of vandalism and tolerate abuse. They also provide serviceability for dirty and hazardous environments and areas prone to tampering.



### Tamper Proof Sampling Point Model 1

#### VSP-610 Features

- Tamper proof design
- Serviceable mesh inlet
- Accommodates standard pipe
- Affixed by 4 screws to ceiling material
- Material: stainless steel
- Pipe Inlet: 1" / 25mm
- Rigid / flexible conduit

### Tamper Proof Sampling Point Model 2

#### VSP-620 Features

- Tamper proof design
- Serviceable mesh inlet
- Gland fitting to micro-bore (capillary) tubing
- Material: stainless steel
- Input: available in three versions to suit 0.23" (6 mm), 0.31" (8 mm), and 0.39" (10 mm) (OD) flexible micro-bore (capillary) tubing

### Applications


- Luxury Accommodation
- Correctional Institutions
- Detention Centers
- Community Residential Centers
- Hospitals
- Manufacturing & Heavy Industry

### Features


- Quality robust construction
- Hidden detection - concealed
- Tamper proof design
- New and retrofit friendly
- Convenient testing and maintenance location via a centrally and remotely mounted detector
- Standard pipe and capillary tube interfaces
- Metric and imperial
- Material SUS304 has great heat and corrosion resistance

## TECHNICAL SPECIFICATIONS

### Dimensions (VSP-610)



### Dimensions (Capillary)



Capillary	Outer Diameter of the Adaptor	Height *
VSP-620-01	0.23" (6 mm)	2.55" (65 mm)
VSP-620-02	0.31" (8 mm)	2.83" (72 mm)
VSP-620-03	0.39" (10 mm)	2.95" (75 mm)

\* Height measurement varies depending on how deep the inlet adapter has been screwed into the assembly.

### Ordering Information

Ordering Code	Description
VSP-610	TPSP Metric Pipe
VSP-610-US	TPSP Imperial Pipe
VSP-620-01	TPSP 0.23" (6 mm) Capillary
VSP-620-02	TPSP 0.31" (8 mm) Capillary
VSP-620-03	TPSP 0.39" (10 mm) Capillary
VSP-870	In-line Flow Restrictor
VSP-870-US	In-line Flow Restrictor - US
VSP-871	Spare Flow Restrictors (Pack of 10)